

Region: Piedmont Archetype code:

Building category: Non-residential buildings – Educational buildings

Period of construction: > 2010

Climatic zone: E Number of records: 35

Description (the codes associated with walls and slabs refer to the structures described in UNI/TR 11552:2014):

External walls: hollow brick masonry with thermal insulation (cod. MCV02).

<u>Roof slabs</u>: insulated reinforced concrete floor slab for walkable flat roof (cod. COP03), for pitched roof (cod. CIN03) or insulated wooden floor slab for pitched roof (cod. CIN02).

Data sources: EPC databases (100%)

	Data	Symbol	Unit of	Mean	Standard	Q1 (first	Median	Q3 (third	
			measure	value	deviation	quartile)	value	quartile)	
BUILDING GEOMETRY	Number of floors	n _f	-	-	-	-	-	-	
	Gross height	Hg	m	-	-	-	-	-	
	Footprint area	A _{footprint}	m ²	-	-	-	-	-	
	Heated gross floor area	A _{H;g}	m ²	-	-	-	-	-	
	Heated net floor area	A _{H;n}	m ²	1961.9	2180.8	502.5	1106.8	2625.8	
	Heated gross volume	V _{H;g}	m³	10300.7	11976.2	2471.3	4548.6	14967.9	
8	Heated net volume	V _{H;n}	m ³	-	-	-	-	-	
<u>N</u>	Compactness ratio	A _{env} /V _{H;g}	m ⁻¹	0.93	1.62	0.44	0.55	0.66	
⊒	WWR – North orientation	WWR _N	-	-	-	-	-	-	
BU	WWR – South orientation	WWR _S	-	-	-	-	-	-	
	WWR – East orientation	WWR _E	-	-	-	-	-	-	
	WWR – West orientation	WWR _W	-	-	-	-	-	-	
	Window to useful floor area ratio	A _{wi} /A _{use}	-	0.17	0.08	0.12	0.15	0.18	
	Roof type				_				
	<i>U</i> -value of the roof	U _{fl;up}	W/(m ² ·K)	_	_	_	_	_	
M	External walls type	Hollow brick masonry: 34%; Unknown: 32%; Solid Brick masonry: 17%; Prefabricated panels: 11%;							
				Concrete wall: 6%					
ENVELOPE	<i>U</i> -value of the wall	$U_{ m wl}$	W/(m ² ·K)	-	-	-	-	-	
Š	Slab on ground floor type								
Ē	<i>U</i> -value of the floor	U _{fl;lw}	W/(m²⋅K)	-	-	-	-	-	
	Windows type	·							
	<i>U</i> -value of the windows	U _W	W/(m ² ·K)	1.55	0.68	1.24	1.40	1.54	
	Shading system type		<u> </u>						
_ Z	Occupancy density *	<i>O</i> _C	person/m ²	son/m ² UNI EN 16798-1 - Table A.19					
GAINS and ENTILATION	Lighting power density *	W∟	W/m²	UNI EN 16798-1 - A.8.3					
SN 1	Equipment power density *	W _A	W _A W/m ² UNI EN 16798-1 - A.8.3						
GAINS and VENTILATION	Type of ventilation				-				
	Air exchange rate *	n	h ⁻¹	-	-	-	-	-	
	Heating system type	Autonomous: 100%							
	Heating generator				-				
	Daily operating time of the heating system *	t _H	h	14.00	0.00	14.00	14.00	14.00	
	Energy carrier	Natural Gas: 72%; Electricity: 13%; Solid biomass: 13%; LPG: 2%							
THERMAL SYSTEMS	Heating emission sub- system								
	Cooling system type								
	Daily operating time of the cooling system *	t _C	h	-	-	-	-	-	
	Cooling emission sub-	_							
	DHW system type	Centralized, coupled with heating: 60%; Autonomous, detached from heating: 31%; Autonomous, coupled with heating: 6%; Centralized, detached from heating: 3%							
	DHW generator	-							
	* These values are derived from UNI El	N ISO Standard	s						



Region:	Piedmont	Archetype code:		
Building category:	Non-residential building	EDUC_2011E_PIE		
Period of construction:	> 2010			
Climatic zone:	E	Number of records:	35	



The data can be used for analysis, modeling, and research purposes, as long as it remains unaltered in its original form. Users are free to publish results based on the data, provided they credit the original source.



 Region:
 Piedmont
 Archetype code:

 Building category:
 Non-residential buildings - Educational buildings
 EDUC_2011-_E_PIE

 Period of construction:
 > 2010

 Climatic zone:
 E
 Number of records:
 35

ADDITIONAL DATA								
	Data	Symbol	Unit of measure	Mean value	Standard deviation	Q1 (first quartile)	Median value	Q3 (third quartile)
THERMAL SYSTEMS	Heating efficiency or COP	$\eta_{\sf H;gen}$ or $\mathit{COP}_{\sf H;gen}$	-	This value has to be retrieved from suitable datasheets				
	Total heating power	P _{H;gen}	kW	397.4	890.7	48.8	93.2	207.5
	Cooling efficiency or EER	$\eta_{ extsf{C}; extsf{gen}}$ or $ extsf{\textit{EER}}_{ extsf{C}; extsf{gen}}$	-	This value has to be retrieved from suitable datasheets				
	Total cooling power	P _{C;gen}	kW	789.0	1720.9	16.6	101.0	300.2
	Temperature of DHW	ϑ_{W}	°C	40.0	0.0	40.0	40.0	40.0
Ė	DHW system power	P _{W;gen}	kW	364.6	914.9	2.4	56.2	111.5

Numerical variables - GAINS, VENTILATION and SYSTEMS USAGE **AIR CHANGE RATE OCCUPACY DENSITY** 5.00 0.30 4.50 0.25 4.00 3.50 0.20 3.00 2.50 🛓 0.15 2.00 0.10 1.50 1.00 0.05 0.50 0.00 0.00 **DAILY OPERATING TIME INTERNAL GAINS POWER DENSITY** 14 10 12 9 8 10 5 6 4 3 2 2 1 0 ☐ Heating ☐ Cooling



Region:	Piedmont	Archetype code:		
Building category:	Non-residential building	EDUC_2011E_PIE		
Period of construction:	> 2010			
Climatic zone:	E	Number of records:	35	

