

Region:LiguriaBuilding category:Residential bPeriod of construction:1981-1990Climatic zone:D		Liguria		Archetype code:							
		Residential b	uildings – Si	ngle family ho	RES_S	RES SINGLE					
				1981-199	90_D_LIG						
		Number of records: 1326									
Descrip	tion:							Data sources:			
<u>External walls:</u> no data available							EPC databases (100%)				
Roof slabs: no data available											
	Data		Symbol	Unit of measure	Mean value	Standard deviation	Q1 (first quartile)	Q2 (Median value)	Q3 (third quartile)		
	Number of floors		n <sub>f</sub>	-	-	-	-	-	-		
	Gross height		Hg	m	-	-	-	-	-		
	Footprint area		A <sub>footprint</sub>	m²	-	-	-	-	-		
~	Heated gross floor area		A <sub>H;g</sub>	m²	-	-	-	-	-		
TR	Heated net floor area		A <sub>H;n</sub>	m²	-	-	-	-	-		
<b>M</b>	Heated gross volume		V <sub>H;g</sub>	m <sup>3</sup>	-	-	-	-	-		
E E	Heated net volume		V <sub>H;n</sub>	m <sup>3</sup>	-	-	-	-	-		
0	Compactness ratio		A <sub>env</sub> /V <sub>H;g</sub>	m <sup>-1</sup>	0.64	0.31	0.36	0.64	0.83		
BUILDING GEOMETRY	WWR – North o		WWR <sub>N</sub>	-	-	-	-	-	-		
L L	WWR – South o	WWR – South orientation		-	-	-	-	-	-		
8	WWR – East orientation		WWR <sub>F</sub>	-	-	-	-	-	-		
	WWR – West orientation		WWR <sub>w</sub>	-	-	-	-	-	-		
	Window to useful floor area				0.40	0.44	0.00	0.40	0.42		
	ratio		A <sub>wi</sub> /A <sub>use</sub>	-	0.13	0.11	0.09	0.10	0.12		
	Roof type		-								
ENVELOPE	U-value of the roof		U <sub>fl;up</sub>	W/(m²·K)	1.38	0.62	0.92	1.56	1.75		
	External walls type		-								
	U-value of the wall		U <sub>wl</sub>	W/(m²⋅K)	1.25	0.54	0.93	1.21	1.53		
/EL(	Slab on ground floor type					-					
EN	U-value of the floor		U <sub>fl;lw</sub>	W/(m²⋅K)	1.53	0.49	1.34	1.54	1.75		
	Windows type					-					
	U-value of the windows		Uw	W/(m²⋅K)	3.83	1.11	2.91	3.90	4.71		
	Shading system type		-								
_ z	Occupancy density *		Oc	person/m <sup>2</sup>	UNI EN 16798-1 - Table A.19						
and TION	Lighting power density *		WL	W/m²	UNI EN 16798-1 - A.8.3						
	Equipment power density *		WA W/m² UNI EN 16798-1 - A.8.3								
GAINS VENTILA	Type of ventilation		Natural: 99%; Mechanical: 1%								
- >	Air exchange ra	Air exchange rate *		h-1	0.30	0.00	0.30	0.30	0.30		
	Heating system	Heating system type		Unknown: 92%; Autonomous: 8%							
	Heating generat	Heating generator		Traditional boiler: 48%; Unknown: 39%; Condensing boiler: 8%; Air-source heat pump: 4% Fireplace: 1%							
THERMAL SYSTEMS	Daily operating heating system		t <sub>H</sub>	h	12	0	12	12	12		
	Energy carrier		Unknown: 40%; Natural gas: 38%; Electricity and natural gas: 14%; Electricity: 4%; LPG: 2%; Electricity and solid biomass: 1%; Gas Oil: 1%								
	Heating emission sub-system		Radiators: 56%; Unknown: 38%; Fan-coil: 2%; Air Ducts: 2%; Convectors: 1%; Radiant panels: 1%								
	Cooling system type		Unknown: 92%; Heat pump air-air: 7%; Heat pump air-water: 1%								
	Daily operating time of the cooling system *		t <sub>C</sub>	h	-	-	-	-	-		
	Cooling emission sub-system		-								
	DHW system type		-								
	DHW generator		Unknown: 78%; Electric boiler: 9%; Condensing boiler: 8%; Natural gas boiler: 3%; Electric heat pump: 2%								
	* These values were not available in the considered sources, and are thus derived from UNI EN Standards										



The data can be used for analysis, modeling, and research purposes, as long as it remains unaltered in its original form. Users are free to publish results based on the data, provided they credit the original source. Residential buildings – Single family houses – 1981-1990 – Zone D – Italy






Residential buildings – Single family houses – 1981-1990 – Zone D – Italy



Region:		Liguria			Archetype code:						
Building category:		Residential b	uildings – Sing		RES_SINGLE_						
Period of construction: 19		1981-1990			1981-1990_D_LIG						
Climatic zone:		D		Number of records: 1326							
ADDITIONAL DATA											
	Data		Symbol	Unit of measure	Mean value	Standard deviation	Q1 (first quartile)	Median value	Q3 (third quartile)		
GEOMETRY: apartments	Inter-storey height		Hn	m	3.1	0.3	3.0	3.1	3.2		
	Heated gross floor area		A <sub>H;g</sub>	m²	-	-	-	-	-		
	Heated net floor area		A <sub>H;n</sub>	m²	87.3	57.5	55.5	74.0	97.6		
	Heated gross volume		V <sub>H;g</sub>	m <sup>3</sup>	325.4	230.5	208.5	275.3	362.4		
	Heated net volume		V <sub>H;n</sub>	m <sup>3</sup>	244.8	169.1	155.7	209.4	273.1		
THERMAL SYSTEMS	Heating efficiency or COP		η <sub>H;gen</sub> or COP <sub>H;gen</sub>	-	This value has to be retrieved from suitable datasheets						
	Total heating power *		P <sub>H;gen</sub>	kW	23.0	5.5	23.7	24.0	24.2		
	Cooling efficiency or EER		η <sub>C;gen</sub> or EER <sub>C;gen</sub>	-	This value has to be retrieved from suitable datasheets						
	Total cooling power *		P <sub>C;gen</sub>	kW	-	-	-	-	-		
	Temperature of DHW		$\theta_{W}$	°C	-	-	-	-	-		
	DHW system power *		P <sub>W;gen</sub>	kW	20.6	8.7	22.6	24.0	24.0		
	* These values refer to the anartment scale										

These values refer to the apartment scale



(c) ●

The data can be used for analysis, modeling, and research purposes, as long as it remains unaltered in its original form. Users are free to publish results based on the data, provided they credit the original source. Residential buildings – Single family houses – 1981-1990 – Zone D – Italy





NOTE: Sample size of the analysed data.

Compactness ratio: 1326; Window to useful floor area ratio: 163; U-value of the roof: 292; U-value of the wall: 1179; U-value of the floor: 112; U-value of the windows: 1326; Inter-storey height: 1293; Heated net floor area: 1293; Heated gross volume: 1276; Heated net volume: 1276; Total heating power: 583; DHW system power: 924; CO2 Emission: 1281; EP H nren: 1313; EP W nren: 1226; EP\_GL\_nren: 1311; EP\_H\_ren: 1011; EP\_W\_ren: 746



The data can be used for analysis, modeling, and research purposes, as long as it remains unaltered in its original form. Users are free to publish results based on the data, provided they credit the original source. Residential buildings – Single family houses – 1981-1990 – Zone D – Italy